

100 YEARS



Biochemic combination tablets

For the Use of Homoeopathic Medical Practitioners

*The inorganic substances contained
in the blood and tissues suffice to
cure all curable illnesses.*

DR. SCHÖSSLER

(Abgek. Therapie, 50th ed., p. 25)

DR. WILLMAR SCHWABE, KARLSRUHE
Western Germany

BIOCHEMIC COMBINATION TABLETS "SCHWABE"

Bio-Plasgen No. 1 (*Anaemia*)

Components: Calc. phos., Ferrum phos., Natr. mur., Kali. phos.

Indications: Lack of blood due to undigestible food and to living in unhealthy quarters. Continuous loss of blood from any part of the body. Cerebral and spinal anaemia. A general wasting of the tissues, waxy appearance of the skin: chlorosis, palpitation, tremor and weakness. Anaemia of the brain from prolonged mental strain.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 2 (*Asthma*)

Components: Kali. phos., Magn. phos., Natr. mur., Natr. sulf.

Indications: Nervous asthma accompanied by cough, gasping, irregular pulse. Asthma with troublesome flatulence or spasms, convulsive tickling cough. Bronchial asthma with yellow sputum, worse in the evening and in warm rooms, better in cool air.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 9 (Dysentery)

Components: Ferrum phos., Kali. mur., Kali. phos., Magn. phos.

Indications: Pain when stools begin to pass. They contain mucus and blood. There is a constant urge to empty the bowels.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 10 (Enlarged Tonsils)

Components: Calc. phos., Ferrum phos., Kali. mur.

Indications: Fever, a feeling of lassitude, pains in the back and limbs; throat lined with a white coating. Tonsils swollen. Tongue coated, bad breath, no appetite.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 11 (Fever)

Components: Ferrum phos., Kali. mur., Natr. mur., Kali. sulf., Natr. sulf.

Indications: All kinds of fever, chills. Initial stages of inflammatory diseases. In quick sudden swellings; pneumonia. Pleurisy and other inflammatory affections that tend to suppuration.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 12 (Headache)

Components: Ferrum phos., Natr. mur., Kali. phos., Magn. phos.

Indications: Headaches due to congestion and a rush of blood to the head, neuralgia. Better from heat, worse from cold. Nervousness as a consequence of worries, sleeplessness, or a low-functioning liver. Worse in the evening or in a warm room, better in the open air.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 13 (Leucorrhoea)

Components: Calc. phos., Kali. sulf., Kali. phos., Natr. mur.

Indications: All forms of leucorrhoea during puberty, pregnancy and in the climacteric; in states of general weakness and hysteria.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 14 (Measles)

Components: Ferrum phos., Kali. mur., Kali. sulf.

Indications: Sneezing and thin discharge from nose; eyes are watery, fever. A help in all stages of the disease.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 15 (Menstruation Troubles)

Components: Calc. phos., Ferrum phos., Kali. phos., Magn. phos., Kali. sulf.

Indications: Menses painful and irregular, scanty and late in young women. Menses early, long-lasting and profuse in middle-aged women.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 9 (*Dysentery*)

Components: Ferrum phos., Kali. mur., Kali. phos., Magn. phos.

Indications: Pain when stools begin to pass. They contain mucus and blood. There is a constant urge to empty the bowels.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 10 (*Enlarged Tonsils*)

Components: Calc. phos., Ferrum phos., Kali. mur.

Indications: Fever, a feeling of lassitude, pains in the back and limbs; throat lined with a white coating. Tonsils swollen. Tongue coated, bad breath, no appetite.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 11 (*Fever*)

Components: Ferrum phos., Kali. mur., Natr. mur., Kali. sulf., Natr. sulf.

Indications: All kinds of fever, chills. Initial stages of inflammatory diseases. In quick sudden swellings; pneumonia. Pleurisy and other inflammatory affections that tend to suppuration.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 12 (*Headache*)

Components: Ferrum phos., Natr. mur., Kali. phos., Magn. phos.

Indications: Headaches due to congestion and a rush of blood to the head, neuralgia. Better from heat, worse from cold. Nervousness as a consequence of worries, sleeplessness, or a low-functioning liver. Worse in the evening or in a warm room, better in the open air.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 13 (*Leucorrhoea*)

Components: Calc. phos., Kali. sulf., Kali. phos., Natr. mur.

Indications: All forms of leucorrhoea during puberty, pregnancy and in the climacteric; in states of general weakness and hysteria.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 14 (*Measles*)

Components: Ferrum phos., Kali. mur., Kali. sulf.

Indications: Sneezing and thin discharge from nose; eyes are watery, fever. A help in all stages of the disease.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 15 (*Menstruation Troubles*)

Components: Calc. phos., Ferrum phos., Kali. phos., Magn. phos., Kali. sulf.

Indications: Menses painful and irregular, scanty and late in young women. Menses early, long-lasting and profuse in middle-aged women.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 16 (*Nervous Exhaustion*)

Components: Calc. phos., Ferrum phos., Kall. phos., Magn. phos., Natr. mur.

Indications: Nervous exhaustion and fatigue from any cause. A general weakness of the heart, stomach and nervous system. Sleeplessness.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 17 (*Piles*)

Components: Calc. fluor., Kall. phos., Ferrum phos., Kall. mur.

Indications: An approved remedy against haemorrhoidal knots, all kinds of piles. External piles with stinging pains. Bleeding piles with or without pain.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 18 (*Pyorrhoea*)

Components: Calc. fluor., Silicea, Calc. sulf.

Indications: Gums are spongy, swollen and inflamed; they bleed easily. Pus in the gums, foul breath.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 19 (*Rheumatism*)

Components: Ferrum phos., Magn. phos., Kali. sulf., Natr. sulf.

Indications: Shooting and stabbing pains in the joints of legs or arms, worse at night. Fever, lumbago, sciatica, muscular rheumatism.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 20 (Skin Diseases)

Components: Calc. fluor., Calc. sulf., Kali. sulf., Natr. mur., Natr. sulf.

Indications: Scurfy eruptions on the scalps and in the faces of children; eczemas due to uterine disorders, acne, pemphigus, herpes, erysipelas, crusta lactea and similar eruptive diseases.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 21 (Teething Troubles)

Components: Calc. phos., Ferrum phos.

Indications: Children are crying, obstinate and naughty during the time of teething. These tablets make the cutting of teeth easy and quick by supplying important salts to the baby. The appetite is improved and the digestion favoured. The tablets build the babies and abolish griping.

Dose: Children are given 2 tablets four times a day at intervals of three hours.

Bio-Plasgen No. 22 (Scrofula)

Components: Calc. phos., Ferrum phos., Kali. mur., Silicea

Indications: Both dry and suppurating scrofulous glandular abscesses. Almost all symptoms of the disease are covered.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 23 (Toothache)

Components: Ferrum phos., Magn. phos., Calc. fluor.

Indications: Recommended especially in neuralgic cases. Favourable effect in rheumatic toothache.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 24 (*Tonic: Nerves and Brain*)

Components: Calc. phos., Ferrum phos., Kali. phos., Magn. phos., Natr. phos.

Indications: A general tonic for all chronically wasting diseases; anaemia of young quickly growing people. Recommended for women who have been weakened by frequent childbearing. General debility and exhaustion with a lack of vitality.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 25 (*Acidity, Flatulence and Indigestion*)

Components: Natr. phos., Natr. sulf., Silicea

Indications: Gastric disturbances, acidity, flatulence, dyspepsia; acid, sour risings; feeling of weight in abdomen; bilious vomiting; flatulent colics; headache; jaundice.

Dose: Adults 4 tablets, children 2 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 26 (*Easy Parturition*)

Components: Magn. phos., Calc. phos., Kali. phos., Calc. fluor.

Indications: If taken during the entire time of pregnancy these tablets will greatly relieve the pains of labour. They also favour the mother's general state of health and assist in the development and health of the child. They may also prevent miscarriage.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 27 (*Lack of Vitality*)

Components: Natr. mur., Kall. phos., Calc. phos.

Indications: Impotence, depression of sexual instinct, lassitude and general debility; emissions followed by trembling and weakness. Too early aging. The entire sexual system is toned up.

Dose: 4 tablets at a time four times a day at intervals of three hours.

Bio-Plasgen No. 28 (*General Tonic*)

Components: All twelve Tissue Remedies.

Indications: These tablets contain the twelve Tissue Remedies found in the human organism. They are of great help for those suffering from consumption and other debilitating diseases, for convalescents from fever, pneumonia, diarrhoea etc. as they help to build up the system by supplying the necessary tissue nutrition. Weak and old people take them as a tonic after meals. The continuous use of these tablets will keep off disease.

Dose: 2 tablets three or four times daily, half an hour before or after meals and at bedtime.

The various components of the above combinations are present in the quantities and concentrations that have been tested and approved in practice.

THE TWELVE TISSUE REMEDIES


OF

DR. SCHÜSSLER

Calcarea fluorica
Calcarea phosphorica
Ferrum phosphoricum
Kali muriaticum
Kali phosphoricum
Kali sulphuricum
Magnesia phosphorica
Natrum muriaticum
Natrum phosphoricum
Natrum sulphuricum
Silicea
Calcarea sulphurica

DR. WILLMAR SCHWABE · KARLSRUHE

Western Germany



Freigegeben vom Innen-Min. Baden-Württemberg 9/8517. Luftbild: Stuttgarter Luftbild Elsässer

The new works at Karlsruhe were built in 1954



DR. WILLMAR SCHWABE · KARLSRUHE

Western Germany

Established at Leipzig in 1866